

Respirators

Chapter 296-842 WAC

Index

A

- Aerosol, generated, table 18, **220-30-32**
- Air pumps,
- Air-purifying respirators
 - cartridge replacement schedule, table 3, **120-4**
 - definition, **300-1**
 - fit test use, table 15, **220-24-25**
 - labeling, **210-2**
 - limitations, **150-2-3**
 - nuisance organic vapors, **110-1**
 - selection, tables 5 and 6, **130-8-9**
(*see also* filtering facepiece respirator; mouthpiece respirator; powered air-purifying)
- Air supply
 - asphyxiating, substances, **200-3**
 - carbon monoxide, **200-6-7**
 - certificate of analysis, **200-2**
 - compressors, **200-4-8**
 - cylinders, grade d specifications, **200-2, 4**
 - fire or explosion hazards, **200-3**
 - monitoring, **200-6-7**
 - program, **120-2**
 - voluntary users, **110-2-6**
- Airborne hazards (see respiratory hazards)
- Air-line respirator, **150-3**
- Alarms, **200-7-8**
- Ambient aerosol procedure, table 16, **220-26-27**
- Annual
 - fit testing, **150-2-3**
 - training, **160-2-4**
- Asphyxiating substances, **200-3**
- Assigned protection factors (APFs), **130-6-8**
 - definition, **300-1**

B

- Banana oil procedure, table 12, **220-15-17**
- Biological contaminants, **110-1, 130-3**
- Bitrex procedure, table 14, **220-21**

C

- Carbon monoxide
 - contamination, **200-5**
 - grade D air, **200-2**
 - poisoning, **110-2**
- Cartridge replacement, table 3, **120-4**, table 6, **130-9**
(see also purifying respirator)
- Cartridge respirator, definition, **300-1**
- Change-out schedule (see cartridge replacement)
- Cleaning respirators, **170-2-3**
- Combination respirators, table 5, **130-8**
- Compressors, **200-4-8**
- Computer-based medical evaluations
- Condensation nuclei counter, procedure, table 16, **220-26**
- Confidentiality, **140-5**
- Control methods, **100-1**
- Controlled negative pressure, procedure, table 17, **220-28-29**
- Costs
 - fit testing, **150-2**
 - maintenance, **170-2**
 - medical evaluations, **140-1-2**
 - respirator, **130-2**
 - training, **160-2**
 - voluntary use, **110-1-6**
- Cylinders
 - capacity, SCBAs, **130-5**
 - DOT test specifications, **200-4**
 - grade D specifications, **200-2**



Respirators

Chapter 296-842 WAC

Index

D

Definitions, **300-1**, 7

Dew point, **200-2**

Documentation

alternative seal check procedures, **220-37**

certificate of analysis, air cylinders, **200-2**

compressor inspections, **200-6**

emergency respirator inspections, **170-5**, 7

Dust mask, **300-2**

(see also filtering face-piece respirator)

E

Emergency

procedures, table 3, **120-4**

respirators, **170-3**, 4, 5-7
(see also mouthpiece respirator)

situations, definition, **300-2**

training, **160-4**

End-of-service-life indicator

table 3, **120-4**

table 6, **130-9**

definition, **300-2**

Evaluations

program, **120-2**

respiratory hazards, **110-1**

Exercises, fit test, **220-12**

Exhaust gases, **200-5**

Eye (or skin) irritation, **110-2**, table 8, **170-3**, **180-3**

Eyewear, **180-2**, **220-12**

F

Facial hair prohibitions

fit testing, **220-12**

use, **180-2**

Filter replacement, **180-3**

Filtering-facepiece respirator

assigned protection factor, table 5, **130-8**

definition, **300-3**

fit tests, **220-11-35**

organic vapors, **110-1**

required use and voluntary use, table 1, **110-2**

sorbent-equipped, **110-1**

voluntary users, written program, exemption, **105-2**
(also see medical evaluations)

Fit tests, **150-1**, 3

exercises, table 19, **220-33**

interferences, **220-11-32**

passing scores, table 16, 17, and 18, **220-26-32**

procedures, **220-11-12**

qualifications, fit tester, **150-2-3**

qualitative procedures, **220-11-12**

banana oil, table 12, **220-15-17**

bitrex, table 14, **220-21-23**

irritant smoke, table 15, **220-24-25**

saccharin, table 13, **220-18-20**

quantitative procedures, **220-11-12**

ambient aerosol, **220-11**

condensation nuclei counter, table 16, **220-26-27**

controlled negative pressure, table 17, **220-28-29**

selecting respirators, table 11, **220-13**



Respirators

Chapter 296-842 WAC

Index

G

Glasses or goggles (see eyewear)

Grade D air, **200-2**
(see also air supply)

H

Hazard evaluations, **130-2**, **R-5-7**

HEPA (High efficiency particulate air) filter,
definition, **300-4**
selection, **130-2-9**

I

Immediately dangerous to life and health (IDLH),
130-4

Inspecting and repairing respirators, **170-6**

Irritant smoke procedure, **220-24-25**

Issuing respirators, **160-2**

L

Licensed health care professional (LHCP), **220-2**,
140-3

List of respirators, **120-4**

M

Maintenance

air compressors, **200-6**

air cylinders, **200-4**

cartridge replacement, **120-4**, **130-9**

filter replacement, **180-3**

fit-test equipment, **150-2**, **180-2**

labels on respirators, **210-2**

program content, **120-4**

records, **110-6**, **120-5**

respirator, **110-5**, **120-3-4**, **170-1-7**

cleaning, **170-2-3**

inspecting and repairing, **170-5**

storing, **170-4**

training, repair personnel, **160-2-3**

Medical evaluation , **140-2-7**

questionnaire, on-line versions, **140-5**, **220-2**

termination of, **140-7**

Mouthpiece respirators

exemptions, **140-1**

fit testing, **150-1**, **220-11**

medical evaluations, **140-2-5**

NIOSH certification, **170-4**

N

Negative-pressure respirator, **140-6**, **150-1-3**,
220-24, **300-5**

NIOSH certification, **130-5**, **170-4**

labels on cartridges, **210-2**

mouthpiece respirators, **170-4**

voluntary use, **110-1**

Nuisance organic vapor respirators, **110-1**

Index



Respirators

Chapter 296-842 WAC

Index

O

On-line medical evaluations questionnaires, **140-5, 220-2**

Operating pressure, airline respirators, **200-6**

Oxygen deficiency, **100-1, 110-5, 130-5**

definition, **300-5**

exemption, **130-5**

fire and explosion hazards, **200-3**

grade D air, **200-2**

P

Periodic

fit testing, **140-7**

medical evaluations, **140-7**

monitoring of respirator use, **120-3**

training, **160-2-3**

Pesticides, respirator selection, **130-3**

Physician (see licensed health care provider)

Powered air-purifying respirator (PAPR)

definition, **300-5**

fit tests, **150-3**

medical evaluations, **140-6;**

Procedures and processes

cleaning, **220-36**

fit-testing, **220-11-12**

inspecting, **170-5-7**

medical evaluations, **140-3-7**

seal checks, **220-37-38**

selection, **130-1-7**

written program, **120-2-4**

Program

administrator, **105-1-2**

required use, **120-4**

voluntary use, **105-2, 110-6**

evaluation and monitoring, **105-2, 120-2-3**

Psittacosis (see parrot fever; respirator selection)

Q

Qualifications

fit-testers, **150-2-3**

licensed health care professional (LHCP), **300-4**

program administrator training, **105-2**

respirator repair technicians, **170-6**

trainers, **160-2-3**

Quarter (1/4 masks), **130-8**

R

Recordkeeping

program records, **120-5**

voluntary use, **110-6**

(see also documentation)

Repair of respirators (see inspecting and repairing respirators)

Required use circumstances

definition, **300-6**

misclassified as voluntary use, **110-5-6, 300-6**

recordkeeping, **120-5**

written program requirements, **120-4**

Respiratory hazards, **100-1, 110-1, 120-4, 130-2-3, 160-4,**

definition, **300-6**



Respirators

Chapter 296-842 WAC

Index

S

Saccharin procedure, **220-19**

Safety glasses (see eyewear)

SCBA (self-contained breathing apparatus)

fit tests, **150-3**

IDLH, **130-5, 190-2**

inspecting, **170-7**

repairing, **170-6**

safe air supply, **200-2-3**

selection, **130-8**

voluntary use, **110-3**

Seal checks

frequency, **180-2, 220-13-14**

required procedure, **220-37-38**

Sealing problems, tight-fitting respirators

facial hair and other causes, **180-2, 220-12**

during fit tests, **220-13-14**

prevention using seal checks, **180-2, 220-37-38**

during use, **150-1, 180-2**

Selection of respirators, **130-2-9**

assigned protection factors (APFs), **130-8**

fit-testing, **220-13-14**

lists, applicable elements, table 3, **120-4**

oxygen deficiencies, **130-5**

reevaluation, **120-2**

Self-contained breathing apparatus (see SCBA)

Smoke, irritant, **220-24-25**

Standby assistance, **190-2**

Substance-specific rules, **130-2**

Supervisors

monitoring employee use, **120-3**

training, **160-2**

Supplied-air respirator (SAR)
(see airline respirator)

T

Training, **150-3, 160-1-3, 170-3**

U

Unknown contaminant concentrations, **130-4**
(see also IDLH)

User factors, **130-6**

V

Voluntary use, **105-2, 110-1-6, 130-1**

advisory information, **110-5**

definition, **300-7**

medical evaluations, **140-3**

program requirements, **120-2-4;**

recordkeeping, **110-6**

W

Warning devices (see alarms)

Workplace factors, **130-6**

Index

